



PATENT

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Applicant: **Duane Langenwalter**
Application No.: **10/797,410**
Filed: **March 10, 2004**
For: **Decorative Fencing System**
Examiner: **TBD**
Art Unit: **3679**
Docket No.: **THI006USU**

Grimes & Battersby, LLP
488 Main Avenue, Third Floor
Norwalk, Connecticut 06851
(203) 849-8300

August 3, 2004

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUPPLEMENTAL RESPONSE

Dear Sir:


Responsive to the Office Action mailed May 26, 2004 relative to the drawings submitted with the application being unacceptable because the number, letters and reference characters on the drawing in Figure 3 did not measure at least 1/8 inch in height, applicant submitted on July 26, 2004 a Response including a substitute drawing for Figure 3. It is unclear from applicant's records, however, whether a copy of the Notice to File Corrected Application Papers was included with the

Response. Accordingly, applicant submits herewith a copy of the Notice, along with a copy of the Response filed July 26, 2004.

Respectfully submitted,

A handwritten signature in black ink, consisting of a series of loops and a long horizontal stroke at the end.

James G. Coplit
Reg. No. 40,571
Attorney for Applicant



IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
PATENT TRANSMITTAL FORM

Applicant: **Duane Langenwalter**

Docket No.: **THI006USU**

App. No.: **10/797,410**

Filed: **March 10, 2004**

For: **Decorative Fencing System**

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

Transmitted herewith is:

1. **Supplemental Response**
2. **Response to Office Action filed July 26, 2004**
3. **Copy of Notice to File Corrected Application Papers**
4. **Postcard**
5. **Duplicate copy of this letter**

Please charge any additional fees or credit any such fees, if necessary to Deposit Account No. 07-2162 in the name of Grimes & Battersby. A duplicate copy of this sheet is attached.

Respectfully submitted,

Date: August 3, 2004

James G. Coplit
Reg. No. 40,571
Grimes & Battersby, LLP
488 Main Avenue, Third Floor
Norwalk, Connecticut 06851
(203) 849-8300

CERTIFICATE OF MAILING

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO: COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450, ON August 3, 2004.

James G. Coplit
NAME OF REGISTERED
REPRESENTATIVE

SIGNATURE

8/3/04
DATE



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/797,410	03/10/2004	Duane Langenwaller	TH1006USU

James G. Coplit, Esq.
 GRIMES & BATTERSBY, LLP
 Third Floor
 488 Main Avenue
 Norwalk, CT 06851

CONFIRMATION NO. 4112

FORMALITIES LETTER



OC000000012782993

July 26, 04

Date Mailed: 05/26/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - Numbers, letters, and reference characters on the drawings must measure at least 0.32 cm (1/8 inch) in height. See Figure(s) 3.

Replies should be mailed to: Mail Stop Missing Parts
 Commissioner for Patents
 P.O. Box 1450
 Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY